

# Dasqua®

BORN IN ITALY, RAISED BY THE WORLD



ALL IN STOCK  
IN ITALY



24 HOURS  
DELIVERY

## Premium measuring tools

UPTO **20%** OFF  
WITH LIMITED STOCK AND TIME  
VALID FROM

**15TH JAN TO 15TH JUN 2025**

**DIGITAL PROTRACTOR**  
8400-0005: 4X90°, Resolution: 0.1°

**84.98€**



1801-1005:  
**106.98€**



**POWER MAGNETIC BASE**

7121-0025:

80kg Magnetic Force and 290mm Arm Length

**88.98€**



**DIAL INDICATOR**

5111-0000: 0-10mm/0.01mm, Flat back

**28.98€**



**PREMIUM PARALLEL SET**

8203-0010: 14 Pairs 10 mm\*150mm\* (14,16, 18,20,22,24,26,28,30,32,35,40,45,50mm)

**179.98€**



4230-2005:

0-25mm/0-1" 0.001mm/0.00005"

**72.98€**

4111-8105:  
0-25mm\*0.01mm  
**27.98€**



**MONOBLOCK  
VERNIER CALIPER**

1120-3115: 0-150mm/0-6" 0.05mm/ 1/128"

- Solid stainless steel made
- In accordance with DIN862
- With locking screw for stable reading

**29.98€**



**38.98€**



**DIGITAL CALIPER**

**DIGITAL CALIPER**

2000-2005: 0-150MM/0-6" 0.01MM/0.0005" / 1/128"

- Solid stainless steel made
- In accordance with DIN862
- Data output
- Battery CR2032

**20% BIGGER  
THAN NORMAL**



**0.43"**  
READING HEIGHT





## MONOBLOCK VERNIER CALIPER

- Solid stainless steel made
- In accordance with DIN862
- With locking screw for stable reading

1120-3115: 0-150mm/0-6" \* 0.05mm / 1/128" **29.98€**  
 1120-3120: 0-200mm/0-8" \* 0.05mm / 1/128" **46.98€**  
 1120-3130: 0-300mm/0-12" \* 0.05mm / 1/128" **89.98€**



## DIGITAL CALIPER

- Solid stainless steel made
- In accordance with DIN862
- Data output
- Battery CR2032

2000-2005: 0-150mm/0-6" \* 0.01mm/0.0005" / 1/128" **38.98€**  
 2000-2010: 0-200mm/0-8" \* 0.01mm/0.0005" / 1/128" **59.98€**  
 2000-2015: 0-300mm/0-12" \* 0.01mm/0.0005" / 1/128" **96.98€**



## BIG SCREEN IP67 OIL PROOF DIGITAL CALIPER

- IP67 water and oil proof
- In accordance with DIN862
- Large screen for easier reading
- Solid stainless steel made
- Battery CR2032

2015-2405: 0-150mm/0-6" \* 0.01mm/0.0005" / 1/128" **86.98€**  
 2015-2410: 0-200mm/0-8" \* 0.01mm/0.0005" / 1/128" **112.98€**  
 2015-2415: 0-300mm/0-12" \* 0.01mm/0.0005" / 1/128" **159.98€**

## MONOBLOCK VERNIER CALIPER WITH NIB STYLE JAWS AND FINE ADJUSTMENT

- Solid stainless steel made
- With fine adjustment
- Hardened ground jaws with precision lapped measuring faces


1310-0010: 0-600/0-24" \* 0.02/0.001", Jaw Length 100 **118.98€**  
 1310-0011: 0-600/0-24" \* 0.02/0.001", Jaw Length 150 **179.98€**  
 1310-0015: 0-1000/0-40" \* 0.02/0.001", Jaw Length 125 **334.98€**



## HEAVY DUTY DIGITAL CALIPER EUROPE STYLE

- With sturdy frame for high stability
- Made of solid stainless steel
- In accordance with DIN862
- With fine adjustment
- With Data-Output
- Battery CR2032

2220-8105: 0-300mm/0-12" \* 0.01mm/0.0005" Jaw Length 90mm **127.98€**  
 2220-8110: 0-500mm/0-20" \* 0.01mm/0.0005" Jaw Length 150mm **216.98€**  
 2220-8115: 0-1000mm/0-40" \* 0.01mm/0.0005" Jaw Length 150mm **479.98€**



## OUTSIDE MICROMETER


- In accordance with DIN863
- Spindle thread hardened, ground and lapped for ultimate accuracy
- With spindle lock
- With ratchet stop for constant force
- Carbide measuring surfaces

4111-8105: 0-25mm \* 0.01mm **27.98€**  
 4111-8110: 25-50mm \* 0.01mm **35.98€**  
 4111-8115: 50-75mm \* 0.01mm **39.98€**  
 4111-8120: 75-100mm \* 0.01mm **45.98€**  
 4111-8125: 100-125mm \* 0.01mm **53.98€**  
 4111-8130: 125-150mm \* 0.01mm **60.98€**




## 3 PCS OUTSIDE MICROMETER SET

4111-8206: 0-75mm \* 0.01mm **107.98€**



## 6 PCS OUTSIDE MICROMETER SET

4111-8215: 0-150mm \* 0.01mm **269.98€**



## 12 PCS OUTSIDE MICROMETER SET

4111-8203: 0-300mm \* 0.01mm **799.98€**

- In accordance with DIN863
- Spindle thread hardened, ground and lapped for ultimate accuracy
- With spindle lock
- With ratchet stop for constant force
- Carbide measuring faces
- Packed in Sturdy plastic or Alu case

## DIGITAL OUTSIDE MICROMETER



- Large LCD display
- Automatic on / off
- In accordance with DIN863
- Stainless steel spindle
- With data output
- Carbide measuring faces
- Battery CR2032

4230-2005: **72.98€**  
 0-25mm/0-1" \* 0.001mm/0.00005"  
 4230-2010: **92.98€**  
 25-50mm/1-2" \* 0.001mm/0.00005"  
 4230-2015: **110.98€**  
 50-75mm/2-3" \* 0.001mm/0.00005"  
 4230-2020: **129.98€**  
 75-100mm/3-4" \* 0.001mm/0.00005"  
 4230-2025: **156.98€**  
 100-125mm/4-5" \* 0.001mm/0.00005"  
 4230-2030: **184.98€**  
 125-150mm/5-6" \* 0.001mm/0.00005"

## INSIDE MICROMETER

- Chrome finish for easy reading
- With spindle lock
- Carbide measuring surfaces ground
- With ratchet stop for constant pressure
- For measuring various inside dimensions



|                                           |                |
|-------------------------------------------|----------------|
| 4911-8105: 5-30mm*0.01mm with Ring Gauge  | <b>73.98€</b>  |
| 4911-8110: 25-50mm*0.01mm with Ring Gauge | <b>79.98€</b>  |
| 4911-8115: 50-75mm*0.01mm                 | <b>86.98€</b>  |
| 4911-8125: 5-100mm*0.01mm                 | <b>319.98€</b> |

## 3 POINTS INSIDE MICROMETER SET

- For through-holes and blind-holes
- With Ratchet stop for constant force
- Setting rings for zero point adjustment
- Carbide-tipped measuring surfaces
- With extension optional for deeper holes
- Packed in sturdy alu case



4411-9205-H: **769.98€**  
6-12mm(6-8,8-10,10-12mm)\*0.001mm\*100mm/Ring Gauge 8,10 mm

4411-3210-H: **349.98€**  
12-20mm(12-16,16-20mm)\*0.001mm\*150mm/Ring Gauge 16 mm

4411-3215-H: **1039.98€**  
20-50mm(20-25,25-30,30-40,40-50mm)\*0.001mm\*150mm/Ring Gauge 25,40 mm

4411-3220-H: **1449.98€**  
50-100mm(50-63,62-75,75-88,87-100mm)\*0.001mm\*150mm/Ring Gauge 62,87 mm

## 3 POINTS INSIDE MICROMETER

|                                       |                |
|---------------------------------------|----------------|
| 4411-5101-H: 6-8mm/Ring Gauge 6mm     | <b>264.98€</b> |
| 4411-5102-H: 8-10mm/Ring Gauge 8mm    | <b>259.98€</b> |
| 4411-5103-H: 10-12mm/Ring Gauge 10mm  | <b>239.98€</b> |
| 4411-5104-H: 12-16mm/Ring Gauge 12mm  | <b>179.98€</b> |
| 4411-5105-H: 16-20mm/Ring Gauge 16mm  | <b>184.98€</b> |
| 4411-5106-H: 20-25mm/Ring Gauge 20mm  | <b>249.98€</b> |
| 4411-5107-H: 25-30mm/Ring Gauge 25mm  | <b>259.98€</b> |
| 4411-5108-H: 30-40mm/Ring Gauge 30mm  | <b>274.98€</b> |
| 4411-5109-H: 40-50mm/Ring Gauge 40mm  | <b>299.98€</b> |
| 4411-5110-H: 50-63mm/Ring Gauge 50mm  | <b>349.98€</b> |
| 4411-5111-H: 62-75mm/Ring Gauge 62mm  | <b>369.98€</b> |
| 4411-5112-H: 75-88mm/Ring Gauge 75mm  | <b>414.98€</b> |
| 4411-5113-H: 87-100mm/Ring Gauge 87mm | <b>469.98€</b> |

## DIAL INDICATOR

- Dial diameter:  $\Phi$ 58mm
- Limit indicator clips included
- Strictly made in accordance with DIN878
- Jeweled bearings providing the lowest possible bearing friction
- With narrowed range and higher accuracy



|                                     |               |
|-------------------------------------|---------------|
| 5111-0000: 0-10mm*0.01mm, Flat back | <b>28.98€</b> |
| 5111-1005: 0-10mm*0.01mm, Lug back  | <b>29.98€</b> |

## DIAL TEST INDICATOR CASING DIA 30MM

- With calibration certificate
- Tough shock-proof gearing
- A hard frame body providing excellent rigidity
- White edge of dial for easy to read
- Hardened and ground contact point



|                           |               |
|---------------------------|---------------|
| 5221-1129-A: 0.8mm*0.01mm | <b>63.98€</b> |
| 5221-1140-A: 0.8mm*0.01mm | <b>69.98€</b> |

## IP65 DIGITAL 3 POINTS INSIDE MICROMETER SET



4711-4405: 6-12mm(6-8,8-10,10-12mm)\*0.001mm\*100mm/Ring Gauge 8,10mm/with extension  
**1099.98€**

4711-4410: 12-20mm(12-16,16-20mm)\*0.001mm\*150mm/Ring Gauge 16mm/with extension  
**689.98€**

4711-4415: 20-50mm(20-25,25-30,30-40,40-50mm)\*0.001mm\*150mm/Ring Gauge 25/40mm/with extension  
**1569.98€**

4711-4420: 50-100mm(50-63,62-75,75-88,87-100mm)\*0.001mm\*150mm/Ring Gauge 62/87mm/with extension  
**1999.98€**

## IP65 DIGITAL 3 POINTS INSIDE MICROMETER

|                                                       |                |
|-------------------------------------------------------|----------------|
| 4711-7301: 6-8mm/Ring Gauge 6mm/without extension     | <b>389.98€</b> |
| 4711-7302: 8-10mm/Ring Gauge 8mm/without extension    | <b>369.98€</b> |
| 4711-7303: 10-12mm/Ring Gauge 10mm/without extension  | <b>339.98€</b> |
| 4711-7304: 12-16mm/Ring Gauge 12mm/without extension  | <b>344.98€</b> |
| 4711-7305: 16-20mm/Ring Gauge 16mm/without extension  | <b>349.98€</b> |
| 4711-7306: 20-25mm/Ring Gauge 20mm/without extension  | <b>379.98€</b> |
| 4711-7307: 25-30mm/Ring Gauge 25mm/without extension  | <b>379.98€</b> |
| 4711-7308: 30-40mm/Ring Gauge 30mm/without extension  | <b>409.98€</b> |
| 4711-7309: 40-50mm/Ring Gauge 40mm/without extension  | <b>429.98€</b> |
| 4711-7310: 50-63mm/Ring Gauge 50mm/without extension  | <b>479.98€</b> |
| 4711-7311: 62-75mm/Ring Gauge 62mm/without extension  | <b>509.98€</b> |
| 4711-7312: 75-88mm/Ring Gauge 75mm/without extension  | <b>549.98€</b> |
| 4711-7313: 87-100mm/Ring Gauge 87mm/without extension | <b>619.98€</b> |

- IP65 protection
- Battery CR2032
- Large LCD display
- With data output
- Packed in sturdy alu case
- For through holes and blind holes also
- With ratchet for constant measuring pressure
- With carbide measuring face
- Extensions optional for deeper holes
- Setting rings for origin point setting



## DIAL BORE GAUGE

- Steel body and interchangeable carbide anvils
- Used to measure close tolerance of holes, taper and roundness



|                                  |                |
|----------------------------------|----------------|
| 5511-1110: 10-18mm*0.01mm*100mm  | <b>139.98€</b> |
| 5511-1115: 18-35mm*0.01mm*150mm  | <b>109.98€</b> |
| 5511-1120: 35-50mm*0.01mm*150mm  | <b>109.98€</b> |
| 5511-1121: 35-60mm*0.01mm*150mm  | <b>109.98€</b> |
| 5511-1125: 50-100mm*0.01mm*150mm | <b>109.98€</b> |
| 5511-1130: 50-160mm*0.01mm*150mm | <b>109.98€</b> |

## COMBINED RANGE DIAL BORE GAUGE SET

- Large measuring range from 35mm to 160mm
- Strictly made in accordance with DIN878

|                            |                |
|----------------------------|----------------|
| 5510-0005: 35-160mm*0.01mm | <b>169.98€</b> |
|----------------------------|----------------|





### TELESCOPING GAUGE SET

- Each gage has a knurled clamp
- Satin chrome finish
- Contact plunger automatically self-centering at all times and in all positions
- Constant spring force on the measuring surface

5911-0001: 8-12.7mm, 12.7-19mm, 19-32mm, 32-54mm, 54-90mm, 90-150mm/Up to 300mm

**59.98€** [5/16-1/2", 1/2-3/4", 3/4-1-1/4", 1-1/4-2 1/8", 2-1/8-3-1/2", 3 1/2-6"/Up to 12"]

5911-0002: 8-12.7mm, 12.7-19mm, 19-32mm, 32-54mm, 54-90mm, 90-150mm/Up to 100mm

**33.98€** [5/16-1/2", 1/2-3/4", 3/4-1-1/4", 1-1/4-2 1/8", 2-1/8-3-1/2", 3 1/2-6"/Up to 4"]

### MAGNETIC BASE WITH FINE ADJUSTMENT

- With fine adjustment device
- 150° V-grooved base can be placed on the cylindrical surfaces

7122-0004: **20.98€**

60KG, Clam Dia 6mm/8mm

7122-0005: **22.98€**

80KG, Clam Dia 6mm/8mm

7122-0010: **43.98€**

100KG, Clam Dia 6mm/8mm

7122-0015: **69.98€**

130KG, Clam Dia 6mm/8mm



### POWER MAGNETIC BASE WITH REINFORCED LOCKING & CLAMPING FORCE

- Super forced locking mechanical universal arm
- Ergonomic design  $\phi 6\text{mm}$ ,  $\phi 8\text{mm}$ ,  $\phi 3/8"$ , Dovetail

7121-0020: **81.98€**

50kg Magnetic Force and 220mm Arm Length

7121-0025: **88.98€**

80kg Magnetic Force and 290mm Arm Length

7121-0030: **99.98€**

100kg Magnetic Force and 355mm Arm Length

7121-0035: **112.98€**

100kg Magnetic Force and 415mm Arm Length



### MICROMETER STAND

7111-1105: **17.98€**



### MASTER PRECISION LEVEL

- Strictly made in accordance with DIN877
- Robust cast iron model, precision ground measuring surface ensures high accuracy
- Base with V-groove to allow use on round bars and shafts, cylindrical surfaces
- With main vial and cross test vial



8301-0005: 150mm\*0.05mm **92.98€**

8301-0015: 250mm\*0.05mm **114.98€**

8301-0020: 300mm\*0.05mm **135.98€**

### PREMIUM PARALLEL SET WITH ALU. CASE

- Premium alloy steel, hardened and quenched, hardness of 58-63HRC, long service life
- Fitted black aluminium case
- Edges are slightly lapped for anti-collision

8203-0010:

**179.98€** 14 Pairs\*10 mm\*150mm (14,16,18,20,22,24,26,28,30,32,35,40,45,50mm)

8203-0025:

**139.98€** 14 Pairs\*4 mm\*150mm\* (14,16,18,20,22,24,26,28,30,32,35,40,45,50mm)

8203-0030:

**119.98€** 9 Pairs\*8.5 mm\*150mm\* (14,16,20,24,30,32,36,40,44mm)



### DIGITAL PROTRACTOR

- V-groove base with powerful embedded magnets
- Backlight function enables it to use in the dim place
- IP65 dust-proof and water-proof

8400-0005: **84.98€**

4X90°, Resolution: 0.1°



### DIGITAL ANGLE GAUGE WITH FLIP-OUT DISPLAY

- With flip-out tilting display
- V-groove in base for round objects like pipe and drill bits

8400-0000:  $\pm 180^\circ \cdot 0.1^\circ$

**58.98€**



### IP65 DIGITAL ZERO SETTING DEVICES

- IP65 protection
- Resolution reaches 0.001mm
- Used to help tool setting
- Lighting indicating at "0"

8400-0005: **106.98€**

4X90°, Resolution: 0.1°



### Visit our European service center:

#### Address

Via Codognino No. 4, 26854 Cornegliano Laudense (LO), Italy

#### Contact information

TEL: +39 324 286 0493

FAX: +39 178 223 775

E-mail: sales@dasqua.it



**DOWNLOAD OUR CATALOGUE FOR MORE PRODUCT INFO**

**SPECIAL EDITION FOR ITALY STOCK**

**2025 CATALOGUE**  
COVERS PRODUCTS IN STOCK IN ITALY